

LEDDriving HL XLZ CLASSIC



Temperatura de cor branco frio de até 6000 K

Branco legal elegante



Descrição aprimorada da distribuição de luz

Com boa distribuição de luz, traz melhor efeito visual



Fácil de instalar

Economia de energia, instalação rápida, luz instantânea

LED HL XLZ CLASSIC



Ficha técnica da família de produto

Dados técnicos



Descrição do produto	Informação de Produto			Dados Elétricos		
	Referência do pedido	Tipo Produto (fora est. vs para estrada)	Aplicação (específico por cat. e prod.)	Tensão nominal	Potência nominal	Tensão de teste
LEDriving XLZ CLASSIC ≙ H1	66150CWC BI	Off-road ≙ H1	Mainly used for headlight/ fog light applications	120 V	1800 W	13,2 V
LEDriving XLZ CLASSIC ≙ H4	66204CW CBI	Off-road ≙ H4	Mainly used for headlight/ fog light applications	120 V	1800 W	13,2 V
LEDriving XLZ CLASSIC ≙ H7	65210CWC BI	Off-road ≙ H7	Mainly used for headlight/ fog light applications	120 V	1800 W	13,2 V
LEDriving XLZ CLASSIC ≙ H8/H11/H16	66211CW CBI	Off-road ≙ H8/H11/H16	Mainly used for headlight/ fog light applications	120 V	1800 W	13,2 V
LEDriving XLZ CLASSIC ≙ HB3/HB4	69005/6C WCBI	Off-road ≙ HB3/HB4	Mainly used for headlight/ fog light applications	120 V	1800 W	13,2 V

Descrição do produto	Dados fotométricos		Dimensões e peso	Atributos	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
	Fluxo luminoso	Tolerância do fluxo luminoso	Diâmetro	Tecnologia	Date of Declaration
LEDriving XLZ CLASSIC ≙ H1	1500 lm	±10 %	1100 mm	LED	07-03-2024
LEDriving XLZ CLASSIC ≙ H4	1500 lm	±10 %	1380 mm	LED	07-03-2024
LEDriving XLZ CLASSIC ≙ H7	1500 lm	±10 %	1280 mm	LED	07-03-2024
LEDriving XLZ CLASSIC ≙ H8/H11/H16	1500 lm	±10 %	1280 mm	LED	07-03-2024
LEDriving XLZ CLASSIC ≙ HB3/HB4	1500 lm	±10 %	1370 mm	LED	07-03-2024

Descrição do produto	Primary Article Identifier	Declaration No. in SCIP database
LEDriving XLZ CLASSIC ≙ H1	4062172063876	In work
LEDriving XLZ CLASSIC ≙ H4	4062172063708	In work
LEDriving XLZ CLASSIC ≙ H7	4062172063753	In work
LEDriving XLZ CLASSIC ≙ H8/H11/H16	4062172063784	In work
LEDriving XLZ CLASSIC ≙ HB3/HB4	4062172063814	In work

Ficha técnica da família de produto

Download Data

Arquivo	
	User instruction COOL BLUE INTENSE LED
	Brochuras LEDriving Retrofits - Exchange overview (EN)

Informações sobre aplicações

Para obter mais informações sobre aplicações e gráficos acesse a ficha técnica do produto.

Retratação

Sujeito a alteração sem prévio aviso. Sempre utilize a versão mais recente.