


LEDambient Trunk Light



Universal LED trunk light with acceleration and brightness sensor

For higher visibility in everyday situations



Multi-function 2 in 1

Applicable as trunk and torch light



Easy car side fixation via magnet and additional mounting plate

Strong magnet for a quick attachment



2 years OSRAM guarantee¹⁾ For precise conditions refer to: www.osram.com/am-guarantee
Powerful performance and exceptionally long service life

Ficha técnica da família de produto



Iluminação de interiores de veículos com precisão

Introducing the universal LEDambient Trunk Light, the perfect companion for your car's storage space. Packed with advanced features and designed to enhance your convenience, this versatile light will transform the way you use the trunk. Featuring an acceleration and brightness sensor, the trunk light boasts an automatic light function that activates as soon as you open the car trunk. Our light illuminates your trunk instantly, making it effortless to find what you need. With both automatic and manual functionality, you have complete control over the lighting. With a color temperature of up to 6,000K, the trunk light provides a bright and clear illumination, allowing you to see every detail in your trunk. Very practical: With its 2 in 1 multifunction, the light can be used as an inspection lamp and as a torch light. In addition, equipped with a rechargeable 1500mAh battery, the trunk light offers long-lasting performance. The included USB-C cable allows for convenient charging, ensuring you're always prepared. Thanks to the easy car side fixation via the magnet and additional mounting plate, an easy installation is included. Simply attach the light to your car's interior using the strong magnet or the included mounting plate, and you're ready to go. The powerful magnet ensures a secure attachment, so you never have to worry about the light falling or moving while you're on the road. Trust in the quality and durability of the universal LED trunk light - OSRAM provides a 2-year guarantee¹⁾. 1) For precise conditions refer to: www.osram.com/am-guarantee

Ficha técnica da família de produto

Dados técnicos




Descrição do produto	Informação de Produto	Dados Elétricos		Dados fotométricos		Dimensões e peso	
	Referência do pedido	Tensão nominal	Potência nominal	Fluxo luminoso	Temperatura de cor	Peso do produto	Altura
LEDambient Trunk Light	LEDINT106	37 V	3000 W	40 lm	6000 K	10000 g	630 mm

Descrição do produto	Largura	Comprimento	Espectativa de Vida		Normas e Certificações
			Garantia	Vida estimada a Tc	Standards
LEDambient Trunk Light	175 mm	1080 mm	2 anos	1000 h	CE

Descrição do produto	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
LEDambient Trunk Light	07-03-2024	4062172240062	No declarable substances contained	No declarable substances contained

Ficha técnica da família de produto

Download Data

Arquivo	
	User instruction LEDambient TRUNK LIGHT
	Filme de aplicação LEDambient Trunk Light LEDINT106 Produkt Video DE
	Filme de aplicação LEDambient Trunk Light LEDINT106 Product Video IT

Instruções de segurança

Para obter informações detalhadas sobre a aplicação, consulte a ficha de dados do produto e o manual do usuário

Informações sobre aplicações

Para obter mais informações sobre aplicações e gráficos acesse a ficha técnica do produto.

Retratação

Sujeito a alteração sem prévio aviso. Sempre utilize a versão mais recente.